



GOVERNMENT OF INDIA  
 MINISTRY OF COMMERCE & INDUSTRY  
 PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)  
 (Formerly Department of Explosives)  
 CGO COMPLEX SEMINARY HILLS  
 NAGPUR 440006



**SPEED POST**

Letter No: A/P/HQ/MH/104/1697  
 (P226039)

Email :explosives@explosives.gov.in

Phone/Fax No.2510248/2510577

Dated : 24/11/2009

✓ To  
 M/s. Keshkamat & Company,  
 9/129, Adarsh Nagar,  
 Prabhadevi,  
 Mumbai-400025

1 DEC 2009

**Sub :** Approval of flameproof electrical equipments conforming to IS:2148-2004.

Dear Sir(s),

Please refer to your letter No KK/CCOE/09-10/18 dated 15/09/2009 & LI/CCOE/09-10/19 dated 26/10/2009, on the above subject.

The following Flame Proof equipment(s) manufactured by you according to IS:2148-2004 (IEC 60079-1/2001) standards and covered under CIMFR Test reports mentioned below are approved for use in Zone 1 of Gas Group IIC hazardous areas coming under the purview of the Petroleum Rules, 2002 administered by this Organization.

Sr No	Description	Safety Protection	CCEs Identification Number	Test House	Test Report No.	Drawing Numbers
1	FLP WP Enclosure for Pan & Tilt Head Cat No. KK/PT/A/101-IIC.	Ex d	P226039/8	CIMFR	CIMFR/TC/SR/H799 Dt.15/01/2008	As per Test Report
2	FLP WP Enclosure for CCTV Camera & Lens Cat No. KK/CCTV/A/101-IIC.	Ex d	P226039/9	CIMFR	CIMFR/TC/SR/H833 Dt.22/01/2008	As per Test Report
3	FLP WP Enclosure with Wiper Assembly for CCTV Camera & Lens Cat No. KK.CCTV/B/100-IIC.	Ex d	P226039/10	CIMFR	CIMFR/TC/SR/H834 Dt.22/01/2008	As per Test Report
4	FLP WP Plunger Enclosure for CCTV System Cat No. KK/FPP/401-IIC.	Ex d	P226039/11	CIMFR	CIMFR/TC/SR/H885 Dt.4/02/2008	As per Test Report

5	FLP WP Junction Box for CCTV System Cat No. KK/JB/D/401-IIC.	Ex d	P226039/12	CIMFR	CIMFR/TC/SR/H760 Dt.3/12/2007	As per Test Report
6	FLP WP Enclosure for CCTV CAMERA & LENS WITH WIPER Cat No. KK/CCTV/2005/D-IIC	Ex d	P226039/13	CMRI	CMRI/TC/P/H509 Dt.14/10/2005	As per Test Report

This Approval is granted subject to observance of the following conditions:-


- 1). The equipment is covered under a valid BIS license
- 2). The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the CIMFR Test Reports referred to above.
- 3). The equipment shall be used only with approved type of accessories and associated apparatus.
- 4). Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously:-
  - (a) Name of the manufacturer
  - (b) Name and number by which the equipment is identified.
  - (c) Number & date of the test report of the CIMFR applicable to the equipment.
  - (d) CCEs Identification Number of this letter by which use of apparatus is approved.
- 5). A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the CIMFR Test report and is identical with the one tested and certified at CIMFR shall be furnished with each equipment.
- 6). The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by CIMFR in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.

This approval also covers the permissible variations as approved under the CIMFR test reports referred to above. This approval may be deemed to have been revoked with immediate effect at any time, if any of the conditions subject to which approval has been granted is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record at regular intervals.

The Approval otherwise is valid for a period of five years from the date of issue

Yours faithfully,

  
(R.A.GUJAR)

Controller of Explosives  
for Chief Controller of Explosives  
Nagpur

Copy to :

The Jt. Chief Controller of Explosives, West Circle, Mumbai; East Circle, Kolkata;  
South Circle, Chennai; North Circle, Faridabad; Central Circle, Agra.

for Chief Controller of Explosives